

According to EU regulation 1907/2006 (REACH)

Material Safety Data Sheet

SDS date: 03-10-2017

SDS version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Trade Name: Oxygen, liquefied

Product- no.: -

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Oxygen is a fuel gas with various different applications. The most important is: welding, soldering, cutting and other processes for the combustion of acetylene and propane, enrichment of combustion air, steel manufacturing, chemical industry, drinking and wastewater treatment, transport and rearing of fish and inhalation purposes.

1.3. Details of the supplier of the safety data sheet

Company and address

Strandmøllen A/S
Strandvejen 895
DK-2930 Klampenborg
Tlf.: +45 701 02 107
www.strandmollen.dk

Contact person and E-mail:

kundeservice@strandmollen.dk

The Safety data sheet is completed and validated by:

mediator A/S, Centervej 2, DK-6000 Kolding. Consultant: SJ

1.4. Emergency telephone number

Use your national or local emergency number - See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of substance or mixture

CLP (1272/2008): Ox. Gas 1;H270, Press. Gas (Refrigerated liquefied); H281.

See full text of H-phrases in section 16.

2.2. Label elements



Signal word:

Danger

According to EU regulation 1907/2006 (REACH)

May cause or intensify fire; oxidiser. (H270)

Contains refrigerated gas; may cause cryogenic burns or injury. (H281)

Keep/Store away from clothing/combustible materials. (P220)

Wear cold insulating gloves and either face shield or eye protection. (P282)

Keep valves and fittings free from oil and grease. (P244)

Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. (P336+P315)

In case of fire: Stop leak if safe to do so. (P370+P376)

Store in a well-ventilated place. (P403)

2.3. Other hazards

-

Additional labelling:

-

Additional warnings:

-

SSECTION 3: Composition/information on ingredients

3.1./3.2. Substances/Mixtures

Substance	EU-Index no.	CAS / EINECS no.	CLP-classification	w/w %	Note
Oxygen	008-001-00-8	7782-44-7/ 231-956-9	Ox. Gas 1;H270, Press. Gas;H280	< 100	-

See full text of H-phrases in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air. Keep victim under observation. Seek medical advice in case of discomfort.

Ingestion: Not relevant as the product is a gas at room temperature. Wash out mouth thoroughly and drink 1-2 glasses of water in small sips.

Skin contact: On frostbite: rinse with plenty of lukewarm water (max 37°C). Do not remove clothes until thawed. Seek medical advice.

Eye contact: Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice.

Burns: Flush with water until pain ceases. Remove clothing that is not stuck to the skin – seek medical advice/transport to hospital. If possible, continue flushing until medical attention is obtained.

Additional information: When obtaining medical advice, show the safety data sheet or label.

According to EU regulation 1907/2006 (REACH)

4.2. Most important symptoms and effects, both acute and delayed

Inhalation of gases may cause irritation to the upper airways. See section 11.

4.3. Indication of any immediate medical attention and special treatment needed

No special immediate treatment required.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Extinguish with powder, foam or water mist.

5.2. Special hazards arising from the substance or mixture

Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Hazardous fumes are formed in fire conditions. Heating will cause a rise in pressure in packaging with a risk of bursting. Use water or water mist to cool non-ignited stock.

5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases – seek fresh air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment – see section 8. Use the product under well-ventilated conditions. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment.

6.2. Environmental precautions

Not relevant as the product is a gas.

6.3. Methods and material for containment and cleaning up

Not relevant as the product is a gas.

6.4. Reference to other sections

See above.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

See section 8 for information about precautions for use and personal protective equipment. Smoking and naked flames prohibited. Work under effective process ventilation (e.g. local exhaust ventilation). Keep valves and fittings free from oil and grease. Protect the flask against the ingress of water. Only use equipment, which is suitable for this product and applied pressure and temperature.

7.2. Conditions for safe storage, including any incompatibilities

Pressurized container: Do not expose to temperatures exceeding 50 °C. The flasks must be stored and utilized in an upright position and must be secured with a chain.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits: -

DNEL and PNEC values:

No data.

8.2. Exposure controls

There are no exposure scenarios for this product.

According to EU regulation 1907/2006 (REACH)

Appropriate engineering controls:

Wash hands before breaks, before using restroom facilities, and at the end of the work. Wear personal protective equipment specified in below section.

Personal protective equipment:



Breathing equipment:	Not required.
Hand protection:	Recommended: Leather gloves.
Eye protection:	Wear safety goggles/ face protection.
Body and skin protection:	Use safety shoes and safety apron when handling flask.

Environmental exposure controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form:	Liquid under pressure
Colour:	Blue
Odor:	Odourless
pH:	-
Melting point/ Freezing Point (°C):	-
Initial boiling point(°C):	- 183
Decomposition temperature (°C):	-
Flash point (°C):	-
Evaporation speed:	-
Ignition (°C):	-
Upper / lower Flammability or Explosion limits (vol-%):	-
Vapour pressure (bar, 20 °C):	1,1
Vapour density (air=1)	-
Density (g/ml):	-
Solubility in water (mg/l):	39
Partition coefficient [n-octanol/water], Log K _{OW} :	-
Critical temperature (°C):	- 118
Evaporation rate (nBuAc=1):	-
Viscosity:	-
Flammability:	-
Oxidizing properties:	-

9.2. Other information

Molecular weight:	32 g/mol
Surface tension (mN/m, 25 °C):	-

SECTION 10: Stability and reactivity

10.1. Reactivity

Non-reactive

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

May cause or intensify fire; oxidiser. Keep valves and fittings free from oil and grease.

10.4. Conditions to avoid

Avoid heating and contact with ignition sources.

10.5. Incompatible materials

Avoid contact with strong reducing agents.

10.6. Hazardous decomposition products

No special precautions regarding contact with other materials at the recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Substance	Route of exposure	Species	Test	Result
No data	-	-	-	-

Symptoms:

Inhalation: The product does not release hazardous vapours.

Skin contact: Direct contact can cause frostbites.

Eye contact: Eye splashes of liquefied gas can cause irritation and frostbites.

Ingestion: During normal handling gases can not be consumed.

Long term effects:

None known.

SECTION 12: Ecological information

12.1. Toxicity

Substance	Test duration	Species	Test	Result
No data	-	-	-	-

12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
No data	-	-	-

12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow	BCF
No data	-	-	-

12.4. Mobility in soil

-

12.5. Results of PBT and vPvB assessment

No data.

According to EU regulation 1907/2006 (REACH)

12.6. Other adverse effects

None.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The product should be treated as dangerous waste.

EWC Code

16 05 04

Rented flasks should be disposed of via supplier.

Specific labelling

-

Contaminated packaging:



Uncleansed packaging is to be disposed of via the local waste-removal scheme.

SECTION 14: Transport information



This product is included in the regulation of dangerous goods.

14.1 -14.4.

ADR

UN number.:	UN proper shipping name	Transport hazard class(es)	Packing group
1073	OXYGEN, REFRIGERATED LIQUID	2.2 + 5.1  	-

IMDG

UN-no.:	Proper shipping name	Transport hazard class(es)	Packing group
1073	OXYGEN, REFRIGERATED LIQUID	2.2 + 5.1  	-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant.

According to EU regulation 1907/2006 (REACH)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Large stock of this product is regulated by the Seveso directive (2012/18).

Restrictions for application:

-

Demands for specific education:

-

15.2. Chemical safety assessment

Chemical safety assessment has not been performed.

SECTION 16: Other information

Other information:

Sources:

EC regulation 1907/2006 (REACH).

Directive 2000/532/EC.

EC Regulation 1272/2008 (CLP).

EH40/2005 WELs (United Kingdom (UK), 8/2007).

Full text of H-phrases as mentioned in section 2+3:

H270 - May cause or intensify fire; oxidiser.

H280 - Contains gas under pressure; may explode if heated.

H281 - Contains refrigerated gas; may cause cryogenic burns or injury.

Other

-

Minor changes have been made in following sections:

1-16

This material safety data sheet replaces version:

1.0 (24-02-2015)
